Brain Research, 551 (1991) 358–360
Elsevier

Author Index

Aebischer, P., see Jaeger, C.B., 163
Aizenman, E., Tang, L.-H. and Reynolds, I.J., Effects of nicotinic agonists on the NMDA receptor, 355
Alcántara, S., see Font, E., 230
Allsop, D., Yamamoto, T., Kametani, F., Miyazaki, N. and Ishii, T., Alzheimer amyloid β/A4 peptide binding sites and a possible 'APP-secretase' activity associated with rat brain cortical membranes, 1
Amici, R., see Perez, E., 132
Ammassari-Teule, M., Pavone, F., Castellano, C. and McGaugh, J.L., Amygdala and dorsal hippocampus lesions block the effects of GABAergic drugs on memory storage, 104
Arakawa, O., Nakahiro, M. and Narahashi, T., Mercury modulation of GABA-activated chloride channels and non-specific cation channels in rat dorsal root ganglion neurons, 58
Arimatsu, Y., see Takahashi, M., 279

Barillot, J.C., see Zheng, Y., 256
Ben-Eliyahu, S., see Marek, P., 293
Benoist, J.-M., see Guilbaud, G., 346
Benoliel, J.J., see Bourgoin, S., 178
Bianchi, A.L., see Zheng, Y., 256
Biswas, S., see Harbuz, M.S., 52
Blander, D.S., see Mark, G.P., 308
Blunt, S., see Takeuchi, Y., 171
Bontempi, B., see Messier, C., 322
Boon, P., see Heinsbroek, R.P.W., 247
Bourgoin, S., Collin, E., Benoliel, J.J., Chantrel, D., Mauborgne, A., Pohl, M., Hamon, M. and Cesselin, F., Opioid control of the release of Met-enkephalin-likematerial from the rat spinal cord, 178
Butcher, S.P., see O'Shaughnessy, C.T., 334

Calder, L.D., see Karler, R., 331
Carroll, W.M., see Thickbroom, G.W., 150
Castellano, C., see Ammassari-Teule, M., 104
Cesselin, F., see Bourgoin, S., 178
Chantrel, D., see Bourgoin, S., 178
Chebabo, S.R. and Do Carmo, R.J., Phenytoin and retinal spreading depression, 16
Chizh, B.A., see Kharkevich, D.A., 110
Chowdrey, H.S., see Harbuz, M.S., 52
Cipp, L.J., see Mooradian, A.D., 145
Clark, G.M., see Seldon, H.L., 185
Collin, E., see Bourgoin, S., 178
Conner-Kerr, T.A., see Terrian, D.M., 303

Dayanithi, G., see Wang, X., 338
Destrade, C., see Messier, C., 322
Do Carmo, R.J., see Chebabo, S.R., 16
Doering, L.C. and Tokiwa, M.A., Adrenal medulla and substantia nigra co-grafts in peripheral nerve: chromaffin cells survive for long time periods and prevent degeneration of nigral neurons, 267

Fadiga, L., see Perez, E., 132
Feenstra, M.G.P., see Heinsbroek, R.P.W., 247
Feng, D.-M., see Wiesenfeld-Hallin, Z., 157
Finch, D.M., see Isokawa, M., 94
Folkers, K., see Wiesenfeld-Hallin, Z., 157
Font, E., García-Verdugo, J.M., Alcántara, S. and López-García, C., Neuron regeneration reverses 3-acetylpyridine-induced cell loss in the cerebral cortex of adult lizards, 230
Fujimoto, Y., see Takahashi, M., 279
Fujita, S., see Takahashi, M., 279

Gannon, R.L., see Terrian, D.M., 303
Garcia-Munoz, M., Young, S. and Groves, P., Terminal excitability of the corticostriatal pathway. I. Regulation by dopamine receptor stimulation, 195
Garcia-Munoz, M., Young, S.J. and Groves, P.M., Terminal excitability of the corticostriatal pathway. II. Regulation by glutamate receptor stimulation, 207
García-Verdugo, J.M., see Font, E., 230
Gautron, M., see Guilbaud, G., 346
Ghi, P., see Molinengo, L., 72
Gibo, D.M., see Zagon, I.S., 28
Gratton, A., see Mitchell, J.B., 20
Grisham, W., Kerchner, M. and Ward, I.L., Prenatal stress alters sexually dimorphic nuclei in the spinal cord of male rats, 126
Groves, P.M., see Garcia-Munoz, M., 195
Groves, P.M., see Garcia-Munoz, M., 207
Guilbaud, G., Benoist, J.-M. and Gautron, M., Electrophysiological evidence that morphine can exert an antinociceptive effect in a neuropathic state: a study in the ventrobasal thalamus of rats after moderate ligation of one sciatic nerve, 346

Hama, T., see Takahashi, M., 279
Hamon, M., see Bourgoin, S., 178
Hansen, S., see Krieger, C., 142
Harbuz, M.S., Chowdrey, H.S., Jessop, D.S., Biswas, S. and Lightman, S.L., Role of catecholamines in mediating messenger RNA and hormonal responses to stress, 52
Haspel, H.C., see Mooradian, A.D., 145
Heinsbroek, R.P.W., Van Haaren, F., Feenstra, M.G.P., Boon, P. and Van de Poll, N.E., Controllable and uncontrollable footshock and monoaminergic activity in the frontal cortex of male and female rats, 247
Helke, C.J. and Rabchevsky, A., Axotomy alters putative neurotransmitters in visceral sensory neurons of the nodose and petrosal ganglia, 44
Hoebel, B.G., see Mark, G.P., 308
Honjoh, T., see Imaizumi, K., 36
Håkanson, R., see Wiesenfeld-Hallin, Z., 157

Ikeda, K., see Sato, M., 327
Ikeda, M., see Imaizumi, K., 36
Imaizumi, K., Kudo, Y., Shiosaka, S., Lee, Y., Ikeda, M., Ohta, H., Matano, S., Shoji, M., Honjoh, T., and Tohyama, M., Specific cholinergic destruction in the basal magnocellular nucleus and impaired passive avoidance behavior of rodents, 36
Imamura, K., see Mataga, N., 64
Ishii, T., see Allsop, D., 1
Isokawa, M. and Finch, D.M., Commissural responses of rat retrohippocampal neurons, 94
Ivy, G.O., see Milgram, N.W., 236

Jaeger, C.B., Winn, S.R., Tresco, P.A. and Aebischer, P., Repair of the blood–brain barrier following implantation of polymer capsules, 163
Jenner, P., see Takeuchi, Y., 171
Jensen, J.R. and Rehder, V., FCCP releases Ca^{2+} from a non-mitochondrial store in an identified *Helisoma* neuron, 311
Jessop, D.S., see Harbuz, M.S., 52

Kametani, F., see Allsop, D., 1
Karler, R., Calder, L.D. and Turkanis, S.A., Calcium channel blockers and excitatory amino acids, 331
Kasparov, S.A., see Kharkevich, D.A., 110
Kendall, L., see O'Shaughnessy, C.T., 334
Kerchner, M., see Grisham, W., 126
Kharkevich, D.A., Chizh, B.A. and Kasparov, S.A., Stimulant effect of thyrotropin-releasing hormone and its analog, RGH 2202, on the diaphragm respiratory activity, and their antagonism with morphine: possible involvement of the *N*-methyl-D-aspartate receptors, 110
Khurgel, M., see Milgram, N.W., 236
Kikuta, A., see Takaki, M., 87
Knezević, W., see Thickbroom, G.W., 150
Kocsis, J.D., see Utzschneider, D.A., 136
Kodama, R.T., see Smith, K.J., 221
Kondo, S., see Takahashi, M., 279
Koyano, H., see Sato, M., 327
Krieger, C., Perry, T.L., Hansen, S. and Mitsumoto, H., The wobbler mouse: amino acid contents in brain and spinal cord, 142
Kudo, T., see Takeda, M., 319
Kudo, Y., see Imaizumi, K., 36

LaPlaca, M.C., see Yourick, D.L., 315
Lazdunski, M., see Messier, C., 322
Lee, Y., see Imaizumi, K., 36
Lei, S.Z., see Sucher, N.J., 297
Lemos, J.R., see Wang, X., 338
Liebeskind, J.C., see Marek, P., 293
Lightman, S.L., see Harbuz, M.S., 52

Brain Research, 551 (1991) 358–360
Elsevier

Author Index

Aebischer, P., see Jaeger, C.B., 163
Aizenman, E., Tang, L.-H. and Reynolds, I.J., Effects of nicotinic agonists on the NMDA receptor, 355
Alcántara, S., see Font, E., 230
Allsop, D., Yamamoto, T., Kametani, F., Miyazaki, N. and Ishii, T., Alzheimer amyloid β/A4 peptide binding sites and a possible 'APP-secretase' activity associated with rat brain cortical membranes, 1
Amici, R., see Perez, E., 132
Ammassari-Teule, M., Pavone, F., Castellano, C. and McGaugh, J.L., Amygdala and dorsal hippocampus lesions block the effects of GABAergic drugs on memory storage, 104
Arakawa, O., Nakahiro, M. and Narahashi, T., Mercury modulation of GABA-activated chloride channels and non-specific cation channels in rat dorsal root ganglion neurons, 58
Arimatsu, Y., see Takahashi, M., 279

Barillot, J.C., see Zheng, Y., 256
Ben-Eliyahu, S., see Marek, P., 293
Benoist, J.-M., see Guilbaud, G., 346
Benoliel, J.J., see Bourgoin, S., 178
Bianchi, A.L., see Zheng, Y., 256
Biswas, S., see Harbuz, M.S., 52
Blander, D.S., see Mark, G.P., 308
Blunt, S., see Takeuchi, Y., 171
Bontempi, B., see Messier, C., 322
Boon, P., see Heinsbroek, R.P.W., 247
Bourgoin, S., Collin, E., Benoliel, J.J., Chantrel, D., Mauborgne, A., Pohl, M., Hamon, M. and Cesselin, F., Opioid control of the release of Met-enkephalin-likematerial from the rat spinal cord, 178
Butcher, S.P., see O'Shaughnessy, C.T., 334

Calder, L.D., see Karler, R., 331
Carroll, W.M., see Thickbroom, G.W., 150
Castellano, C., see Ammassari-Teule, M., 104
Cesselin, F., see Bourgoin, S., 178
Chantrel, D., see Bourgoin, S., 178
Chebabo, S.R. and Do Carmo, R.J., Phenytoin and retinal spreading depression, 16
Chizh, B.A., see Kharkevich, D.A., 110
Chowdrey, H.S., see Harbuz, M.S., 52
Cipp, L.J., see Mooradian, A.D., 145
Clark, G.M., see Seldon, H.L., 185
Collin, E., see Bourgoin, S., 178
Conner-Kerr, T.A., see Terrian, D.M., 303

Dayanithi, G., see Wang, X., 338
Destrade, C., see Messier, C., 322
Do Carmo, R.J., see Chebabo, S.R., 16
Doering, L.C. and Tokiwa, M.A., Adrenal medulla and substantia nigra co-grafts in peripheral nerve: chromaffin cells survive for long time periods and prevent degeneration of nigral neurons, 267

Fadiga, L., see Perez, E., 132
Feenstra, M.G.P., see Heinsbroek, R.P.W., 247
Feng, D.-M., see Wiesenfeld-Hallin, Z., 157
Finch, D.M., see Isokawa, M., 94
Folkers, K., see Wiesenfeld-Hallin, Z., 157
Font, E., García-Verdugo, J.M., Alcántara, S. and López-García, C., Neuron regeneration reverses 3-acetylpyridine-induced cell loss in the cerebral cortex of adult lizards, 230
Fujimoto, Y., see Takahashi, M., 279
Fujita, S., see Takahashi, M., 279

Gannon, R.L., see Terrian, D.M., 303
Garcia-Munoz, M., Young, S. and Groves, P., Terminal excitability of the corticostriatal pathway. I. Regulation by dopamine receptor stimulation, 195
Garcia-Munoz, M., Young, S.J. and Groves, P.M., Terminal excitability of the corticostriatal pathway. II. Regulation by glutamate receptor stimulation, 207
García-Verdugo, J.M., see Font, E., 230
Gautron, M., see Guilbaud, G., 346
Ghi, P., see Molinengo, L., 72
Gibo, D.M., see Zagon, I.S., 28
Gratton, A., see Mitchell, J.B., 20
Grisham, W., Kerchner, M. and Ward, I.L., Prenatal stress alters sexually dimorphic nuclei in the spinal cord of male rats, 126
Groves, P.M., see Garcia-Munoz, M., 195
Groves, P.M., see Garcia-Munoz, M., 207
Guilbaud, G., Benoist, J.-M. and Gautron, M., Electrophysiological evidence that morphine can exert an antinociceptive effect in a neuropathic state: a study in the ventrobasal thalamus of rats after moderate ligation of one sciatic nerve, 346

Hama, T., see Takahashi, M., 279
Hamon, M., see Bourgoin, S., 178
Hansen, S., see Krieger, C., 142
Harbuz, M.S., Chowdrey, H.S., Jessop, D.S., Biswas, S. and Lightman, S.L., Role of catecholamines in mediating messenger RNA and hormonal responses to stress, 52
Haspel, H.C., see Mooradian, A.D., 145
Heinsbroek, R.P.W., Van Haaren, F., Feenstra, M.G.P., Boon, P. and Van de Poll, N.E., Controllable and uncontrollable footshock and monoaminergic activity in the frontal cortex of male and female rats, 247
Helke, C.J. and Rabchevsky, A., Axotomy alters putative neurotransmitters in visceral sensory neurons of the nodose and petrosal ganglia, 44
Hoebel, B.G., see Mark, G.P., 308
Honjoh, T., see Imaizumi, K., 36
Håkanson, R., see Wiesenfeld-Hallin, Z., 157

Ikeda, K., see Sato, M., 327
Ikeda, M., see Imaizumi, K., 36
Imaizumi, K., Kudo, Y., Shiosaka, S., Lee, Y., Ikeda, M., Ohta, H., Matano, S., Shoji, M., Honjoh, T., and Tohyama, M., Specific cholinergic destruction in the basal magnocellular nucleus and impaired passive avoidance behavior of rodents, 36
Imamura, K., see Mataga, N., 64
Ishii, T., see Allsop, D., 1
Isokawa, M. and Finch, D.M., Commissural responses of rat retrohippocampal neurons, 94
Ivy, G.O., see Milgram, N.W., 236

Jaeger, C.B., Winn, S.R., Tresco, P.A. and Aebischer, P., Repair of the blood–brain barrier following implantation of polymer capsules, 163
Jenner, P., see Takeuchi, Y., 171
Jensen, J.R. and Rehder, V., FCCP releases Ca^{2+} from a non-mitochondrial store in an identified *Helisoma* neuron, 311
Jessop, D.S., see Harbuz, M.S., 52

Kametani, F., see Allsop, D., 1
Karler, R., Calder, L.D. and Turkanis, S.A., Calcium channel blockers and excitatory amino acids, 331
Kasparov, S.A., see Kharkevich, D.A., 110
Kendall, L., see O'Shaughnessy, C.T., 334
Kerchner, M., see Grisham, W., 126
Kharkevich, D.A., Chizh, B.A. and Kasparov, S.A., Stimulant effect of thyrotropin-releasing hormone and its analog, RGH 2202, on the diaphragm respiratory activity, and their antagonism with morphine: possible involvement of the *N*-methyl-D-aspartate receptors, 110
Khurgel, M., see Milgram, N.W., 236
Kikuta, A., see Takaki, M., 87
Knezević, W., see Thickbroom, G.W., 150
Kocsis, J.D., see Utzschneider, D.A., 136
Kodama, R.T., see Smith, K.J., 221
Kondo, S., see Takahashi, M., 279
Koyano, H., see Sato, M., 327
Krieger, C., Perry, T.L., Hansen, S. and Mitsumoto, H., The wobbler mouse: amino acid contents in brain and spinal cord, 142
Kudo, T., see Takeda, M., 319
Kudo, Y., see Imaizumi, K., 36

LaPlaca, M.C., see Yourick, D.L., 315
Lazdunski, M., see Messier, C., 322
Lee, Y., see Imaizumi, K., 36
Lei, S.Z., see Sucher, N.J., 297
Lemos, J.R., see Wang, X., 338
Liebeskind, J.C., see Marek, P., 293
Lightman, S.L., see Harbuz, M.S., 52

Lin, Y. and Phillis, J.W., Muscarinic agonist-mediated induction of long-term potentiation in rat cerebral cortex, 342
Lipton, S.A., see Sucher, N.J., 297
López-García, C., see Font, E., 230
Lythgoe, D.J., see O'Shaughnessy, C.T., 334

Marek, P., Page, G.G., Ben-Eliyahu, S. and Liebeskind, J.C., *N*-methyl-D-aspartic acid (NMDA) receptor antagonist MK-801 blocks non-opioid stress-induced analgesia. I. Comparison of opiate receptor-deficient and opiate receptor-rich strains of mice, 293
Mark, G.P., Blander, D.S. and Hoebel, B.G., A conditioned stimulus decreases extracellular dopamine in the nucleus accumbens after the development of a learned taste aversion, 308
Marsden, C.D., see Takeuchi, Y., 171
Mastaglia, F.L., see Thickbroom, G.W., 150
Mataga, N., Imamura, K. and Watanabe, Y., 6R-Tetrahydrobiopterin perfusion enhances dopamine, serotonin, and glutamate outputs in dialysate from rat striatum and frontal cortex, 64
Matano, S., see Imaizumi, K., 36
Mauborgne, A., see Bourgoin, S., 178
McGaugh, J.L., see Ammassari-Teule, M., 104
McLaughlin, P.J., see Zagon, I.S., 28
Messier, C., Mourre, C., Bontempi, B., Sif, J., Lazdunski, M. and Destrade, C., Effect of apamin, a toxin that inhibits Ca^{2+}-dependent K^+ channels, on learning and memory processes, 322
Meyerhoff, J.L., see Yourick, D.L., 315
Milgram, N.W., Yearwood, T., Khurgel, M., Ivy, G.O. and Racine, R., Changes in inhibitory processes in the hippocampus following recurrent seizures induced by systemic administration of kainic acid, 236
Mitchell, J.B. and Gratton, A., Opioid modulation and sensitization of dopamine release elicited by sexually relevant stimuli: a high speed chronoamperometric study in freely behaving rats, 20
Mitsumoto, H., see Krieger, C., 142
Miyamoto, E., see Takahashi, M., 279
Miyazaki, N., see Allsop, D., 1
Mogenson, G.J. and Wu, M., Effects of administration of dopamine D_2 agonist quinpirole on exploratory locomotion, 216
Molinengo, L., Oggero, L., Ghi, P. and Orsetti, M., Action of a chronic disulfiram administration on memory decay and on central cholinergic and adrenergic systems, 72
Mooradian, A.D., Morin, A.M., Cipp, L.J. and Haspel, H.C., Glucose transport is reduced in the blood–brain barrier of aged rats, 145
Morin, A.M., see Mooradian, A.D., 145
Mourre, C., see Messier, C., 322

Nakahiro, M., see Arakawa, O., 58
Nakayama, S., see Takaki, M., 87
Narahashi, T., see Arakawa, O., 58
Nishimura, T., see Takeda, M., 319
Nordmann, J.J., see Wang, X., 338

Oggero, L., see Molinengo, L., 72
Ohta, H., see Imaizumi, K., 36
Orsetti, M., see Molinengo, L., 72
O'Shaughnessy, C.T., Lythgoe, D.J., Butcher, S.P., Kendall, L., Wood, B. and Steward, M.C., Effects of hypoxia on fetal rat brain metabolism studied in utero by ^{31}P-NMR spectroscopy, 334

Page, G.G., see Marek, P., 293
Parmeggiani, P.L., see Perez, E., 132
Pasqualotto, B.A. and Vincent, S.R., Galanin and NADPH-diaphorase coexistence in cholinergic neurons of the rat basal forebrain, 78
Pavone, F., see Ammassari-Teule, M., 104
Perez, E., Zamboni, G., Amici, R., Fadiga, L. and Parmeggiani, P.L., Ultradian and circadian changes in the cAMP concentration in the preoptic region of the rat, 132
Perry, T.L., see Krieger, C., 142
Phillis, J.W., see Lin, Y., 342
Pohl, M., see Bourgoin, S., 178
Privette, T.H., see Terrian, D.M., 303

Rabchevsky, A., see Helke, C.J., 44
Racine, R., see Milgram, N.W., 236
Rehder, V., see Jensen, J.R., 311
Reynolds, I.J., see Aizenman, E., 355
Rojas, L., Zuazaga, C. and Steinacker, A., Acetylcholine receptor channel gating and conductance involve extracellular disulfide bond(s), 10

Sato, M., Ikeda, K., Yoshizaki, K. and Koyano, H., Response of cytosolic calcium to anoxia and cyanide in cultured glomus cells of newborn rabbit carotid body, 327
Sawada, T., see Takeuchi, Y., 171
Seldon, H.L. and Clark, G.M., Human cochlear nucleus: comparison of Nissl-stained neurons from deaf and hearing patients, 185
Shiosaka, S., see Imaizumi, K., 36
Shoji, M., see Imaizumi, K., 36
Sif, J., see Messier, C., 322
Smith, K.J. and Kodama, R.T., Reinnervation of denervated skeletal muscle by central neurons regenerating via ventral roots implanted into the spinal cord, 221
Steinacker, A., see Rojas, L., 10
Steward, M.C., see O'Shaughnessy, C.T., 334
Sucher, N.J., Lei, S.Z. and Lipton, S.A., Calcium channel antagonists attenuate NMDA receptor-mediated neurotoxicity of retinal ganglion cells in culture, 297

Tada, K., see Takeda, M., 319
Takahashi, M., Arimatsu, Y., Fujita, S., Fujimoto, Y., Kondo, S., Hama, T. and Miyamoto, E., Protein kinase C and Ca^{2+}/calmodulin-dependent protein kinase II phosphorylate a novel 58-kDa protein in synaptic vesicles, 279
Takaki, M., Kikuta, A. and Nakayama, S., Ruthenium red antagonism of the effects of capsaicin mediated by extrinsic sensory nerves on myenteric plexus neurons of the isolated guinea-pig ileum, 87
Takeda, M., Nishimura, T., Kudo, T., Tanimukai, S. and Tada, K., Buffy coat from families of Alzheimer's disease patients produces intracytoplasmic neurofilament accumulation in hamster brain, 319
Takeuchi, Y., Sawada, T., Blunt, S., Jenner, P. and Marsden, C.D., Serotonergic sprouting in the neostriatum after intrastriatal transplantation of fetal ventral mesencephalon, 171
Tang, L.-H., see Aizenman, E., 355
Tanimukai, S., see Takeda, M., 319
Terrian, D.M., Conner-Kerr, T.A., Privette, T.H. and Gannon, R.L., Domoic acid enhances the K^+-evoked release of endogenous glutamate from guinea pig hippocampal mossy fiber synaptosomes, 303
Thickbroom, G.W., Knezević, W., Carroll, W.M. and Mastaglia, F.L., Saccade onset and offset lambda waves: relation to pattern movement visually evoked potentials, 150
Tohyama, M., see Imaizumi, K., 36
Tokiwa, M.A., see Doering, L.C., 267
Treistman, S.N., see Wang, X., 338
Tresco, P.A., see Jaeger, C.B., 163
Turkanis, S.A., see Karler, R., 331

Utzschneider, D.A., Kocsis, J.D. and Waxman, S.G., Differential sensitivity to hypoxia of the peripheral versus central trajectory of primary afferent axons, 136

Van de Poll, N.E., see Heinsbroek, R.P.W., 247
Van Haaren, F., see Heinsbroek, R.P.W., 247
Vincent, S.R., see Pasqualotto, B.A., 78

Wang, X., Lemos, J.R., Dayanithi, G., Nordmann, J.J. and Treistman, S.N., Ethanol reduces vasopressin release by inhibiting calcium currents in nerve terminals, 338
Ward, I.L., see Grisham, W., 126
Watanabe, Y., see Mataga, N., 64
Watt, C.B., A re-examination of enkephalin's coexistence with gamma-aminobutyric acid in amacrine cells of the larval tiger salamander retina, 351
Waxman, S.G., see Utzschneider, D.A., 136
Wiesenfeld-Hallin, Z., Xu, X.-J., Håkanson, R., Feng, D.-M. and Folkers, K., Low-dose intrathecal morphine facilitates the spinal flexor reflex by releasing different neuropeptides in rats with intact and sectioned peripheral nerves, 157
Wilson, J.A., see Wilson, J.S., 116
Wilson, J.S. and Wilson, J.A., Intracellular response of caudate neurons to variable frequency stimulation of motor cortical areas in dog, 116
Winn, S.R., see Jaeger, C.B., 163
Wood, B., see O'Shaughnessy, C.T., 334
Wu, M., see Mogenson, G.J., 216

Xu, X.-J., see Wiesenfeld-Hallin, Z., 157

Yamamoto, T., see Allsop, D., 1
Yearwood, T., see Milgram, N.W., 236
Yoshizaki, K., see Sato, M., 327
Young, S.J., see Garcia-Munoz, M., 195
Young, S.J., see Garcia-Munoz, M., 207
Yourick, D.L., LaPlaca, M.C. and Meyerhoff, J.L., Norepinephrine-stimulated phosphatidylinositol metabolism in genetically epilepsy-prone and kindled rats, 315

Zagon, I.S., Gibo, D.M. and McLaughlin, P.J., Zeta (ζ), a growth-related opioid receptor in developing rat cerebellum: identification and characterization, 28
Zamboni, G., see Perez, E., 132
Zheng, Y., Barillot, J.C. and Bianchi, A.L., Are the post-inspiratory neurons in the decerebrate rat cranial motoneurons or interneurons?, 256
Zuazaga, C., see Rojas, L., 10

(contents continued)

Terminal excitability of the corticostriatal pathway. I. Regulation by dopamine receptor stimulation
M. Garcia-Munoz, S.J. Young and P.M. Groves (U.S.A.) 195
Terminal excitability of the corticostriatal pathway. II. Regulation by glutamate receptor stimulation
M. Garcia-Munoz, S.J. Young and P.M. Groves (U.S.A.) 207
Effects of administration of dopamine D_2 agonist quinpirole on exploratory locomotion
G.J. Mogenson and M. Wu (Canada) 216
Reinnervation of denervated skeletal muscle by central neurons regenerating via ventral roots implanted into the spinal cord
K.J. Smith and R.T. Kodama (U.S.A., U.K.) 221
Neuron regeneration reverses 3-acetylpyridine-induced cell loss in the cerebral cortex of adult lizards
E. Font, J.M. García-Verdugo, S. Alcántara and C. López-García (Spain) 230
Changes in inhibitory processes in the hippocampus following recurrent seizures induced by systemic administration of kainic acid
N.W. Milgram, T. Yearwood, M. Khurgel, G.O. Ivy and R. Racine (Canada) 236
Controllable and uncontrollable footshock and monoaminergic activity in the frontal cortex of male and female rats
R.P.W. Heinsbroek, F. van Haaren, M.G.P. Feenstra, P. Boon and N.E. van de Poll (The Netherlands) 247
Are the post-inspiratory neurons in the decerebrate rat cranial motoneurons or interneurons?
Y. Zheng, J.C. Barillot and A.L. Bianchi (France) 256
Adrenal medulla and substantia nigra co-grafts in peripheral nerve: chromaffin cells survive for long time periods and prevent degeneration of nigral neurons
L.C. Doering and M.A. Tokiwa (Canada) 267
Protein kinase C and Ca^{2+}/calmodulin-dependent protein kinase II phosphorylate a novel 58-kDa protein in synaptic vesicles
M. Takahashi, Y. Arimatsu, S. Fujita, Y. Fujimoto, S. Kondo, T. Hama and E. Miyamoto (Japan) 279

Short Communications

N-methyl-D-aspartic acid (NMDA) receptor antagonist MK-801 blocks non-opioid stress-induced analgesia. I. Comparison of opiate receptor-deficient and opiate receptor-rich strains of mice
P. Marek, G.G. Page, S. Ben-Eliyahu and J.C. Liebeskind (U.S.A.) 293
Calcium channel antagonists attenuate NMDA receptor-mediated neurotoxicity of retinal ganglion cells in culture
N.J. Sucher, S.Z. Lei and S.A. Lipton (U.S.A.) 297
Domoic acid enhances the K^+-evoked release of endogenous glutamate from guinea pig hippocampal mossy fiber synaptosomes
D.M. Terrian, T.A. Conner-Kerr, T.H. Privette and R.L. Gannon (U.S.A.) 303
A conditioned stimulus decreases extracellular dopamine in the nucleus accumbens after the development of a learned taste aversion
G.P. Mark, D.S. Blander and B.G. Hoebel (U.S.A.) 308
FCCP releases Ca^{2+} from a non-mitochondrial store in an identified *Helisoma* neuron
J.R. Jensen and V. Rehder (U.S.A.) 311
Norepinephrine-stimulated phosphatidylinositol metabolism in genetically epilepsy-prone and kindled rats
D.L. Yourick, M.C. LaPlaca and J.L. Meyerhoff (U.S.A.) 315
Buffy coat from families of Alzheimer's disease patients produces intracytoplasmic neurofilament accumulation in hamster brain
M. Takeda, T. Nishimura, T. Kudo, S. Tanimukai and K. Tada (Japan) 319
Effect of apamin, a toxin that inhibits Ca^{2+}-dependent K^+ channels, on learning and memory processes
C. Messier, C. Mourre, B. Bontempi, J. Sif, M. Lazdunski and C. Destrade (France, Morocco) 322
Response of cytosolic calcium to anoxia and cyanide in cultured glomus cells of newborn rabbit carotid body
M. Sato, K. Ikeda, K. Yoshizaki and H. Koyano (Japan) 327
Calcium channel blockers and excitatory amino acids
R. Karler, L.D. Calder and S.A. Turkanis (U.S.A.) 331
Effects of hypoxia on fetal rat brain metabolism studied in utero by ^{31}P-NMR spectroscopy
C.T. O'Shaughnessy, D.J. Lythgoe, S.P. Butcher, L. Kendall, B. Wood and M.C. Steward (U.K.) 334
Ethanol reduces vasopressin release by inhibiting calcium currents in nerve terminals
X. Wang, J.R. Lemos, G. Dayanithi, J.J. Nordmann and S.N. Treistman (U.S.A., France) 338
Muscarinic agonist-mediated induction of long-term potentiation in rat cerebral cortex
Y. Lin and J.W. Phillis (U.S.A.) 342
Electrophysiological evidence that morphine can exert an antinociceptive effect in a neuropathic state: a study in the ventrobasal thalamus of rats after moderate ligation of one sciatic nerve
G. Guilbaud, J.-M. Benoist and M. Gautron (France) 346
A re-examination of enkephalin's coexistence with gamma-aminobutyric acid in amacrine cells of the larval tiger salamander retina
C.B. Watt (U.S.A.) 351
Effects of nicotinic agonists on the NMDA receptor
E. Aizenman, L.-H. Tang and I.J. Reynolds (U.S.A.) 355

Author Index 358